

**schattddecor**

**PROTECTED. SAFE. EFFICIENT.**

CONDITIONING FILM FOR PRESS PLATES



*teclay* **CONDITIONING**  
by Schattdecor

## CLEAN SEPARATION – PERFECT SURFACES

After installing press plates and continuous double-belt presses (CPL-presses) or after cleaning them thoroughly, the separation effect is often not yet optimal during the first few pressings.

Teclay Conditioning ensures a reliable release with the very first pressing and protects your press plates from deposits. This guarantees flawless surfaces and a smooth production process.

## teclay **CONDITIONING** by Schattdecor

Teclay Conditioning is a self-adhesive conditioning film that can be used in one or more layers, depending on the structure. It is processed at standard temperature and pressure with a pressing time of 2 to 3 times longer and ensures that the boards are easily released from the press plates.


Available in sheets or rolls, Teclay Conditioning can be stored for over 6 months. The white backing paper allows for easy visual inspection of the condition of the press plates.



### Your advantages at a glance

- ✓ Immediate and reliable separation effect from the first pressing
- ✓ Optimal protection against deposits and contamination
- ✓ Highly recommended for new, used, or cleaned press plates
- ✓ Suitable for complex structures and matte effects
- ✓ Easy visual inspection due to white backing paper
- ✓ Available as sheets or rolls
- ✓ Can be stored for over 6 months

## APPLICATION EXAMPLE



### NUMBER OF LAYERS

1 or more layers per side (depending on structure)

### PRESSING PARAMETERS

Standard temperature, standard pressure, 2 to 3 times the pressing time

### APPLICATIONS

- New press plates (follow manufacturer's instructions)
- After the installation of used press plates
- After intensive cleaning with Teclay Cleaning

## Complementary products

**Teclay Cleaning** – Cleaning film for dirty press plates, ideal for preparation before using Teclay Conditioning.

**Decolay Classic** – Melamine film that, in combination with our special formula, ensures exceptional pore realism and the highest quality surface, even for complex press plate structures.

**schattdecor** One Source. Unlimited Solutions.

Scan to learn more:



Schattdecor SE  
Walter-Schatt-Allee 1–3  
83101 Thansau  
Germany

Contact:  
Dieter Schuckmann  
Head of Sales Impregnation  
Tel. +49 8031 275 – 2288  
d.schuckmann@schattdecor.de

[www.schattdecor.com](http://www.schattdecor.com)